

White Paper

Fabasoft Folio Web Client Configuration Possibilities

Fabasoft Folio 2019

Copyright © Fabasoft R&D GmbH, Linz, Austria, 2019.

All rights reserved. All hardware and software names used are registered trade names and/or registered trademarks of the respective manufacturers.

No rights to our software or our professional services, or results of our professional services, or other protected rights can be based on the handing over and presentation of these documents.

Contents

1 Introduction	4
2 Software Requirements	4
3 Microsoft Internet Explorer	4
3.1 Zone	4
3.2 Temporary Internet Files	5
3.3 Open Launching Shortcuts in the Same Window	6
3.4 Deactivate Compatibility View	7
4 Mozilla Firefox	7
4.1 Pop-up Windows	7
4.2 Close Windows	8
5 Apple Safari	8
5.1 Pop-up Windows	8

1 Introduction

The Fabasoft Folio Web Client is accessed via a web browser. This white paper focuses on web browser settings that can be easily adjusted by users. For information about configuration tasks that should be carried out by system administrators consult the white paper "Fabasoft Folio Client".

2 Software Requirements

System environment: All information contained in this document implicitly assumes a Microsoft Windows environment.

Supported platforms: For detailed information on supported operating systems and software see the software product information on the Fabasoft distribution media.

Descriptions in this document are based on the following software:

- Microsoft Internet Explorer 11.0
- Mozilla Firefox 65.0
- Apple Safari 12.0
- Microsoft Office 2019
- LibreOffice 6.1.5


3 Microsoft Internet Explorer

3.1 Zone

To benefit of all features of the Fabasoft Folio Web Client it is strongly recommended to add the web address of the Fabasoft Folio Web Client to the "Trusted sites" zone ("Local intranet" works too). The security level for the respective zone can be set (increased) to "Medium" ("Tools" > "Internet Options" > "Security" tab).

If the Fabasoft Folio Web Client is added to the trusted sites and Microsoft Windows integrated authentication should be used, customize the zone. For *User Authentication (Logon)* use the setting "Automatic logon with current username and password".

Additionally, make sure that “Enable Integrated Windows Authentication” is enabled (“Tools” > “Internet Options” > “Advanced” tab > “Security” setting).




3.2 Temporary Internet Files

In most cases no configuration is required. If you experience long load times, check your temporary Internet files settings.

To check your settings, perform the following steps:


1. Open Microsoft Internet Explorer.
2. Open the “Tools” menu and click “Internet Options”.
3. On the “General” tab und “Browsing History” click “Settings”.
4. In the *Check for newer versions of stored pages* field select “Every time I start Internet Explorer”.

5. *Disk space to use* should be at least 50 MB.




3.3 Open Launching Shortcuts in the Same Window

By default Microsoft Internet Explorer displays launching shortcuts in an already opened web browser window. If the Fabasoft Folio Web Client is opened in this window, it will be replaced by the shortcut content. By clearing the *Reuse windows for launching shortcuts* check box ("Tools" > "Internet Options" > "Advanced" tab) this can be prevented.



3.4 Deactivate Compatibility View

Websites from the "Local intranet" zone are automatically displayed in compatibility view. For an optimal view of Fabasoft Folio, deactivate this feature. Open the "Tools" menu and then click "Compatibility View Settings". The *Display intranet sites in Compatibility View* option has to be disabled.



4 Mozilla Firefox


4.1 Pop-up Windows

Pop-up windows should be allowed, to avoid problems when opening new windows from the Fabasoft Folio Web Client (e.g. "Explore").


To allow pop-up windows, perform the following steps:

1. Open Mozilla Firefox.
2. On the "Tools" menu click "Options".

- On the "Content" tab disable *Block pop-up windows* or click "Exceptions" and create an entry for the address of the Fabasoft Folio Web Client.



Note: If you want to open more than 20 pop-ups type `about:config` in the address bar, search for the entry `dom.popup_maximum` and define the desired value.



4.2 Close Windows

To allow scripts to close web browser windows (necessary for some use cases), type `about:config` in the address bar, search for the entry `dom.allow_scripts_to_close_windows` and set the value `true`.

5 Apple Safari

5.1 Pop-up Windows

Pop-up windows should be allowed, to avoid problems when opening documents or images.

To configure this option select "Preferences" from the Safari menu, click the "Security" tab and disable the *Block pop-up windows* option.

