



White Paper

Fabasoft on Linux - Performance Monitoring via SNMP

Fabasoft Folio 2023 Update Rollup 2

Copyright © Fabasoft R&D GmbH, Linz, Austria, 2023.

All rights reserved. All hardware and software names used are registered trade names and/or registered trademarks of the respective manufacturers.

No rights to our software or our professional services, or results of our professional services, or other protected rights can be based on the handing over and presentation of these documents.

Contents

| | |
|--|----------|
| 1 Introduction | 4 |
| 2 Software Requirements | 4 |
| 3 Performance Monitoring | 4 |
| 4 Configuration of Fabasoft Folio Servers | 4 |
| 5 Configuration of the Fabasoft Folio Server Management Station | 4 |
| 6 Queries | 5 |
| 7 Available Performance Counters | 5 |
| 7.1 Fabasoft Folio Kernel | 5 |
| 7.2 Fabasoft Folio RPC Service | 7 |
| 7.3 Fabasoft Folio COO Service | 8 |
| 7.4 Fabasoft Folio MMC Service | 9 |
| 7.5 Fabasoft Folio Web Service | 10 |
| 7.6 Fabasoft Folio AT Service | 10 |
| 7.7 Fabasoft Folio Distributed Transaction Manager | 10 |

1 Introduction

This document describes performance monitoring of Fabasoft Folio Services in a Red Hat Linux environment.

2 Software Requirements

System environment: All information contained in this document implicitly assumes a Linux environment.

Supported platforms: For detailed information on supported operating systems and software see the software product information on the Fabasoft distribution media.

3 Performance Monitoring

Fabasoft Folio Services under Linux export the performance counters via SNMP under the OID branch 1.3.6.1.4.1.17100 (`enterprises.17100`).

SNMP objects are subdivided into two groups: scalars and tables.

Scalars end with `.0` and tables with `.x`.

“x” represents the instance of the selected table. In case of Fabasoft Folio Performance Counters, these tables represent a specific service that can be identified via SNMP using the `rpcservicename.x` value.

Specific information on these counters can be found in the MIB descriptions.

4 Configuration of Fabasoft Folio Servers

The following configuration steps have to be accomplished on the server running the Fabasoft Folio Services that should be monitored.

- Verify that `net-snmp-<version>.rpm` (shipped with Red Hat Enterprise Linux) is installed and that the `snmpd` service is running.
- The SNMP Agent Extensibility (AgentX) protocol must be enabled and listening on `tcp:localhost:705`. Add the following directives to `/etc/snmp/snmpd.conf` to ensure that:

```
agentxsocket tcp:localhost:705
master agentx
```
- `/etc/snmp/snmpd.conf` must allow viewing the Fabasoft Folio Performance Counters. For example, add the following line:

```
view systemview included .1.3.6.1.4.1.17100
```
- Restart the agent.

```
service snmpd restart
```

5 Configuration of the Fabasoft Folio Server Management Station

The following configuration steps have to be accomplished on the server that will be used to retrieve the performance counters.

- On the Fabasoft product DVD or product CD, change to the `/Setup/ComponentsBase/Services/LINUX_RHEL_X64` directory.

- Install the Fabasoft Folio RPM package.
`rpm -ihv fsc-snmp-mibs-<version>.rpm`
- Verify that `net-snmp-<version>.rpm` (shipped with Red Hat Enterprise Linux) is installed.
- The user that queries the servers should add the following variable to the environment:
`export MIBS=all`

6 Queries

To get the value of a performance counter, the following query can be used. To use the `snmpget` command you have to install `net-snmp-utils`.

```
snmpget -v 2c -c public <host> enterprises.17100.<performance counter>
<host>
```

is the server running the Fabasoft Folio Services

```
<performance counter>
```

must be replaced with the respective performance counter

A list of all available performance counters can be found in chapter 7 "Available Performance Counters".

It is assumed that the security configuration in `/etc/snmp/snmpd.conf` is unmodified.

Example Queries:

- Query the number of installed Fabasoft Folio RPC Service instances:
`snmpget -v 2c -c public localhost enterprises.17100.1.1.1.1.0`
- Query the number of installed Fabasoft Folio COO Service instances:
`snmpget -v 2c -c public localhost enterprises.17100.1.1.10.1.0`
- Query the name of Fabasoft Folio COO Service instance 2 of domain 10.1000:
`snmpget -v 2c -c public localhost enterprises.17100.1.1.10.2.1.4.10.1000.2`
- Query the number of content accesses on Fabasoft Folio MMC Service instance 4 of domain 10.1000:
`snmpget -v 2c -c public localhost enterprises.17100.1.1.11.2.1.5.10.1000.4`
- Query all available counters available on localhost:
`snmpwalk -v 2c -c public localhost enterprises.17100`

7 Available Performance Counters

7.1 Fabasoft Folio Kernel

The following Fabasoft Folio Kernel performance counters are available.

```
enterprises.17100.1.1.15.2.1.4.0.0.<instance>
```

Fabasoft Folio Kernel name for instance <instance>.

```
enterprises.17100.1.1.15.2.1.5.0.0.<instance>
```

Number of Fabasoft Folio Kernel enter calls on instance <instance>.

```
enterprises.17100.1.1.15.2.1.6.0.0.<instance>
```

Number of actions called on objects on instance <instance>.

```
enterprises.17100.1.1.15.2.1.7.0.0.<instance>
```

Number of access checks on objects on instance <instance>.

```
enterprises.17100.1.1.15.2.1.8.0.0.<instance>
```

Number of objects locked on instance <instance>.

enterprises.17100.1.1.15.2.1.9.0.0.<instance>
Number of objects unlocked on instance <instance>.

enterprises.17100.1.1.15.2.1.10.0.0.<instance>
Number of queries executed on instance x

enterprises.17100.1.1.15.2.1.11.0.0.<instance>
Number of transactions committed on instance <instance>.

enterprises.17100.1.1.15.2.1.12.0.0.<instance>
Number of transactions aborted on instance <instance>.

enterprises.17100.1.1.15.2.1.13.0.0.<instance>
Number of transactions persisted on instance <instance>.

enterprises.17100.1.1.15.2.1.14.0.0.<instance>
Number of transactions backed up on instance <instance>.

enterprises.17100.1.1.15.2.1.15.0.0.<instance>
Number of transactions restored on instance <instance>.

enterprises.17100.1.1.15.2.1.16.0.0.<instance>
Number of objects refreshed in a single call on instance <instance>.

enterprises.17100.1.1.15.2.1.17.0.0.<instance>
Number of objects refreshed in a bulk call on instance <instance>.

enterprises.17100.1.1.15.2.1.18.0.0.<instance>
Number of objects completely loaded in a single call on instance <instance>.

enterprises.17100.1.1.15.2.1.19.0.0.<instance>
Number of objects partially loaded in a single call on instance <instance>.

enterprises.17100.1.1.15.2.1.20.0.0.<instance>
Number of versions completely loaded in a single call on instance <instance>.

enterprises.17100.1.1.15.2.1.21.0.0.<instance>
Number of versions partially loaded in a single call on instance <instance>.

enterprises.17100.1.1.15.2.1.22.0.0.<instance>
Number of objects completely loaded in a bulk call on instance <instance>.

enterprises.17100.1.1.15.2.1.23.0.0.<instance>
Number of objects partially loaded in a bulk call on instance <instance>.

enterprises.17100.1.1.15.2.1.24.0.0.<instance>
Number of versions completely loaded in a bulk call on instance <instance>.

enterprises.17100.1.1.15.2.1.25.0.0.<instance>
Number of versions partially loaded in a bulk call on instance <instance>.

enterprises.17100.1.1.15.2.1.26.0.0.<instance>
Number of internal methods called on instance <instance>.

enterprises.17100.1.1.15.2.1.27.0.0.<instance>
Number of external COM methods called on instance <instance>.

enterprises.17100.1.1.15.2.1.28.0.0.<instance>
Number of external OLE automation methods called on instance <instance>.

enterprises.17100.1.1.15.2.1.29.0.0.<instance>
Number of external ActiveX scripting methods called on instance <instance>.

enterprises.17100.1.1.15.2.1.30.0.0.<instance>
Percentage of read requests resolved in the cache on instance <instance>.

enterprises.17100.1.1.15.2.1.31.0.0.<instance>
Maximal number of objects the cache can contain on instance <instance>.

enterprises.17100.1.1.15.2.1.32.0.0.<instance>
 Number of objects in the cache on instance <instance>.

enterprises.17100.1.1.15.2.1.33.0.0.<instance>
 Number of current user contexts.

enterprises.17100.1.1.15.2.1.34.0.0.<instance>
 Number of current worker threads on instance <instance>.

enterprises.17100.1.1.15.2.1.35.0.0.<instance>
 Number of objects created on instance <instance>.

enterprises.17100.1.1.15.2.1.36.0.0.<instance>
 Number of objects deleted on instance <instance>.

enterprises.17100.1.1.15.2.1.37.0.0.<instance>
 Number of objects changed on instance <instance>.

enterprises.17100.1.1.15.2.1.38.0.0.<instance>
 Number of versions created on instance <instance>.

enterprises.17100.1.1.15.2.1.39.0.0.<instance>
 Number of versions deleted on instance <instance>.

enterprises.17100.1.1.15.2.1.40.0.0.<instance>
 Update mode active for <instance>.

7.2 Fabasoft Folio RPC Service

The following Fabasoft Folio RPC Service performance counters are available.

enterprises.17100.1.1.1.1.0
 Number of installed Fabasoft Folio RPC Service instances.

enterprises.17100.1.1.1.2.1.4.<major>.<minor>.<instance>
 Fabasoft Folio RPC Service name of instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.1.2.1.5.<major>.<minor>.<instance>
 Number of RPC calls on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.1.2.1.6.<major>.<minor>.<instance>
 Number of RPC transactions on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.1.2.1.7.<major>.<minor>.<instance>
 Number of threads used for RPC calls on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.1.2.1.8.<major>.<minor>.<instance>
 Number of physical connections used for RPC on this instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.1.2.1.9.<major>.<minor>.<instance>
 Number of bytes received on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.1.2.1.10.<major>.<minor>.<instance>
 Number of bytes sent on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.1.2.1.12.<major>.<minor>.<instance>
 Number of RPC packets received on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.1.2.1.13.<major>.<minor>.<instance>
 Number of RPC packets sent on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.1.2.1.14.<major>.<minor>.<instance>
 Number of RPC packets on instance <instance> of domain <major>.<minor>.

7.3 Fabasoft Folio COO Service

The following Fabasoft Folio COO Service performance counters are available.

enterprises.17100.1.1.10.1.0

Number of installed Fabasoft Folio COO Service instances.

enterprises.17100.1.1.10.2.1.4.<major>.<minor>.<instance>

Fabasoft Folio COO Service name of instance x

enterprises.17100.1.1.10.2.1.5.<major>.<minor>.<instance>

Objects locked on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.10.2.1.6.<major>.<minor>.<instance>

Objects unlocked on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.10.2.1.7.<major>.<minor>.<instance>

Queries executed on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.10.2.1.8.<major>.<minor>.<instance>

Objects read on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.10.2.1.9.<major>.<minor>.<instance>

Versions read on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.10.2.1.10.<major>.<minor>.<instance>

Transactions executed on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.10.2.1.11.<major>.<minor>.<instance>

Versions deleted on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.10.2.1.12.<major>.<minor>.<instance>

Versions saved on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.10.2.1.13.<major>.<minor>.<instance>

Objects deleted on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.10.2.1.14.<major>.<minor>.<instance>

Attributes stored on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.10.2.1.15.<major>.<minor>.<instance>

Objects created on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.10.2.1.16.<major>.<minor>.<instance>

Object locks routed to a different service on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.10.2.1.17.<major>.<minor>.<instance>

Object unlocks routed to a different service on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.10.2.1.18.<major>.<minor>.<instance>

Queries routed to a different service on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.10.2.1.19.<major>.<minor>.<instance>

Object reads routed to a different service on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.10.2.1.20.<major>.<minor>.<instance>

Version reads routed to a different service on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.10.2.1.21.<major>.<minor>.<instance>

Transactions routed to a different service on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.10.2.1.22.<major>.<minor>.<instance>

Version deletes routed to a different service on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.10.2.1.23.<major>.<minor>.<instance>
Version saves routed to a different service on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.10.2.1.24.<major>.<minor>.<instance>
Object deletes routed to a different service on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.10.2.1.25.<major>.<minor>.<instance>
Attribute stores routed to a different service on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.10.2.1.26.<major>.<minor>.<instance>
Object creates routed to a different service on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.10.2.1.27.<major>.<minor>.<instance>
The percentage of read requests resolved in the cache on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.10.2.1.29.<major>.<minor>.<instance>
Number of objects in the cache on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.10.2.1.30.<major>.<minor>.<instance>
Object refreshes on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.10.2.1.31.<major>.<minor>.<instance>
Maximum amount of physical memory in megabytes used for object cache on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.10.2.1.32.<major>.<minor>.<instance>
Current amount of physical memory in megabytes used for object cache on instance <instance> of domain <major>.<minor>.Fabasoft Folio MMC Service

7.4 Fabasoft Folio MMC Service

The following Fabasoft Folio MMC Service performance counters are available.

enterprises.17100.1.1.11.1.0
Number of installed Fabasoft Folio MMC Service instances.

enterprises.17100.1.1.11.2.1.4.<major>.<minor>.<instance>
Fabasoft Folio MMC Service name for instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.11.2.1.5.<major>.<minor>.<instance>
Content reads on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.11.2.1.6.<major>.<minor>.<instance>
Content writes on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.11.2.1.7.<major>.<minor>.<instance>
Contents copied on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.11.2.1.8.<major>.<minor>.<instance>
Contents deleted on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.11.2.1.9.<major>.<minor>.<instance>
Content reads routed to a different service on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.11.2.1.10.<major>.<minor>.<instance>
Content writes routed to a different service on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.11.2.1.11.<major>.<minor>.<instance>
Content copies routed to a different service on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.11.2.1.12.<major>.<minor>.<instance>
Content deletes routed to a different service on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.11.2.1.13.<major>.<minor>.<instance>
Cached content reads on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.11.2.1.14.<major>.<minor>.<instance>
Percentage of cached content reads on instance <instance> of domain <major>.<minor>.

7.5 Fabasoft Folio Web Service

The following Fabasoft Folio Web Service performance counters are available.

enterprises.17100.1.1.14.1.0
Number of installed Fabasoft Folio Web Service instances.

enterprises.17100.1.1.14.2.1.4.0.0.<instance>
Fabasoft Folio Web Service name for instance <instance>.

enterprises.17100.1.1.14.2.1.5.0.0.<instance>
Number of pool worker threads for instance <instance>.

enterprises.17100.1.1.14.2.1.6.0.0.<instance>
Number of requests waiting on instance <instance>.

enterprises.17100.1.1.14.2.1.7.0.0.<instance>
Number of requests running on instance <instance>.

enterprises.17100.1.1.14.2.1.8.0.0.<instance>
Number of requests expired on instance <instance>.

enterprises.17100.1.1.14.2.1.9.0.0.<instance>
Number of requests processed on instance <instance>.

enterprises.17100.1.1.14.2.1.10.0.0.<instance>
Number of requests received on instance <instance>.

enterprises.17100.1.1.14.2.1.11.0.0.<instance>
Average number of milliseconds a request was waiting on instance <instance>.

enterprises.17100.1.1.14.2.1.12.0.0.<instance>
Average number of milliseconds a request was running on instance <instance>.

7.6 Fabasoft Folio AT Service

The following Fabasoft Folio AT Service performance counters are available.

enterprises.17100.1.1.13.1.0
Number of installed Fabasoft Folio AT Service instances.

enterprises.17100.1.1.13.2.1.4.0.0.<instance>
Fabasoft Folio AT Service name for instance <instance>.

enterprises.17100.1.1.13.2.1.5.0.0.<instance>
The number of seconds remaining until the service tries to process a task on instance <instance>.

enterprises.17100.1.1.13.2.1.6.0.0.<instance>
Number of tasks waiting to be processed on instance <instance>.

enterprises.17100.1.1.13.2.1.7.0.0.<instance>
Number of tasks processed on instance <instance>.

7.7 Fabasoft Folio Distributed Transaction Manager

The following Fabasoft Folio Distributed Transaction Manager performance counters are available.

enterprises.17100.1.1.16.1.0
Number of installed Fabasoft Folio Distributed Transaction Manager instances.

enterprises.17100.1.1.16.2.1.4.<major>.<minor>.<instance>
Fabasoft Folio Distributed Transaction Manager name for instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.16.2.1.5.<major>.<minor>.<instance>
Number of completed transactions on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.16.2.1.6.<major>.<minor>.<instance>
Number of committed transactions on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.16.2.1.7.<major>.<minor>.<instance>
Number of aborted transactions on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.16.2.1.8.<major>.<minor>.<instance>
Number of active transactions on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.16.2.1.9.<major>.<minor>.<instance>
Number of committed transactions through recovery on instance <instance> of domain <major>.<minor>.

enterprises.17100.1.1.16.2.1.10.<major>.<minor>.<instance>
Number of aborted transactions through recovery on instance <instance> of domain <major>.<minor>.